



Inspection Report

CALIFORNIA STATE UNIVERSITY, LONG BEACH

Customer ID: **1841**

Certificate: **93-R-0418**

Site: 001

CALIFORNIA STATE UNIVERSITY, LONG BEACH

1250 BELLFLOWER BLVD.

Type: ROUTINE INSPECTION

Date: Jun-08-2009

LONG BEACH, CA 90840

No non compliant items identified this inspection.

Prepared By:

ALEXANDRA ANDRICOS, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5038

Jun-08-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jun-08-2009



Inspection Report

CALIFORNIA STATE UNIVERSITY, LONG BEACH

Customer ID: 1841

Certificate: 93-R-0418

Site: 001

CALIFORNIA STATE UNIVERSITY, LONG BEACH

1250 BELLFLOWER BLVD.

Type: ROUTINE INSPECTION

Date: Feb-20-2008

LONG BEACH, CA 90840

3.26

FACILITIES, INDOOR.

d) Interior surfaces. The interior building surfaces of indoor housing facilities shall be constructed and maintained so that they are substantially impervious to moisture and may be readily sanitized.

*** In the food storage room, there are two small areas on the floor where the paint has peeled off and the underlying cement flooring is exposed. The paint is also peeling off from the area around the counter in the hamster room. Dirt and other debris may collect in these areas and it may be difficult to clean and sanitize as required. The interior building surfaces of indoor housing facilities shall be constructed and maintained so that they are substantially impervious to moisture and may be readily sanitized.***

To be corrected by March 7, 2008

Note: Discussed general housekeeping with the animal care manager.

Prepared By:

ALEXANDRA ANDRICOS, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5038

Feb-20-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-21-2008