



## Inspection Report

---

PLANCHE CONSULTING

Customer ID: **33057**

Certificate: **93-R-0501**

Site: 001

WEB SCIENCES INTERNATIONAL

WEBSCIENCES INTERNATIONAL

1251 WESTWOOD BOULEVARD

Type: ROUTINE INSPECTION

Date: Dec-10-2008

LOS ANGELES, CA 90024

---

No non compliant items identified this inspection.

No covered species are housed at this facility.

This is a transcribed report.

---

**Prepared By:**

ALEXANDRA ANDRICOS, D.V.M. USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 5038

May-26-2009

**Received By:**

(b)(6), (b)(7)(c)

**Date:**

**Title:**

May-26-2009



## Inspection Report

PLANCHE CONSULTING

Customer ID: **33057**

Certificate: **93-R-0501**

Site: 001

WEB SCIENCES INTERNATIONAL

WEBSCIENCES INTERNATIONAL

1251 WESTWOOD BOULEVARD

Type: ROUTINE INSPECTION

Date: Jan-10-2008

LOS ANGELES, CA 90024

### 3.25 (a)

#### FACILITIES, GENERAL

(a) Structural strength. Indoor and outdoor housing facilities for guinea pigs or hamsters shall be structurally sound and shall be maintained in good repair, to protect the animals from injury, to contain the animals, and to restrict the entrance of other animals.

\*\*\*In the guinea pig procedure room, there is one ceiling tile that has come off its supportive hinges and the underlying structure is exposed. It is adjacent to where procedures on covered species are performed. Debris from this unsealed area may easily contaminate the procedural table and surrounding areas. The ceiling tile should be replaced and any remaining gaps should be sealed. Indoor facilities for guinea pigs should be structurally sound and should be maintained in good repair to protect the animals from injury.\*\*\*

To be corrected immediately

No covered species are housed at this facility.

#### Prepared By:

ALEXANDRA ANDRICOS, D.V.M. USDA, APHIS, Animal Care

#### Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5038

Jan-10-2008

#### Received By:

(b)(6), (b)(7)(c)

#### Date:

Title:

Jan-22-2008



## Inspection Report

PLANCHE CONSULTING  
WEBSCIENCES INTERNATIONAL  
1251 WESTWOOD BOULEVARD

Customer ID: **33057**  
Certificate: **93-R-0501**  
Site: 001

WEB SCIENCES INTERNATIONAL

Type: ROUTINE INSPECTION

Date: Jan-30-2007

LOS ANGELES, CA 90024

### 2.33 (b) (2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

(b) Each research facility shall establish and maintain programs of adequate veterinary care that include: (2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care;

\*\*\*The following expired materials were identified during the inspection: Heparin - dated 11/06, NaCl fluids - dated 5/06, Xylazine - dated 11/06, and Buprenophrine - dated 7/06. Medical materials are often imprinted with an expiration date, beyond which the manufacturer does not guarantee the safety or stability of the item. The use of outdated medical materials is undesirable, as these materials may lose their potency or degrade to toxic byproducts if stored after the expiration date, resulting in unpredictable outcomes. All expired medical materials should be identified, labeled, and stored in an area separate from the non-expired medical materials or properly disposed of.\*\*\*  
To be corrected by Feb. 9, 2007

### 2.35 (a) (2)

#### RECORDKEEPING REQUIREMENTS.

Sec. 2.35 Recordkeeping requirements.

(a) The research facility shall maintain the following IACUC records (2) Records of proposed activities involving animals and proposed significant changes in activities involving animals, and whether IACUC approval was given or withheld.

\*\*\*According to the surgical outcome log, a procedure was performed on a guinea pig on 11/16/06. An approved protocol describing the procedure performed was not available for review at time of inspection. Without this information we cannot be certain whether the IACUC was aware of the procedure and if approval was given or withheld. The research facility should maintain records of proposed activities involving animals and have them available at time of inspection. \*\*\*

To be corrected by Feb.16, 2007

Inspection completed by Alexandra Andricos, VMO and Michael Smith, VMO

#### Prepared By:

ALEXANDRA ANDRICOS, V.M.O USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5038

Feb-07-2007

#### Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-08-2007