



Inspection Report

COLBY COLLEGE

Customer ID: **77**

Certificate: **11-R-0014**

Site: 001

COLBY COLLEGE

AREY BUILDING

COLBY COLLEGE

Type: ROUTINE INSPECTION

Date: Feb-02-2010

WATERVILLE, ME 04901

No noncompliant items were identified at the time of this inspection.

Prepared By:

STEVEN NUSBAUM, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1068

Feb-02-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-02-2010



Inspection Report

COLBY COLLEGE

Customer ID: **77**

AREY BUILDING

Certificate: **11-R-0014**

COLBY COLLEGE

Site: 001

COLBY COLLEGE

Type: ROUTINE INSPECTION

WATERVILLE, ME 04901

Date: Feb-03-2009

No noncompliant items were identified at the time of this inspection.

Prepared By:

STEVEN NUSBAUM, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1068

Feb-03-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-03-2009



Inspection Report

COLBY COLLEGE

Customer ID: 77

Certificate: 11-R-0014

Site: 001

COLBY COLLEGE

AREY BUILDING

Type: ROUTINE INSPECTION

WATERVILLE, ME 04901

Date: Feb-12-2008

No noncompliant items were identified at the time of this inspection.

NOTE: The noncompliances identified during the inspection of 11/8/06 have been corrected.
This includes the noncompliances associated with Protocol 2005-13, which ended
10/31/06.

Prepared By:

STEVEN NUSBAUM, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1068

Feb-12-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-12-2008