



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: 756

Certificate: 14-R-0074

Site: 001

175 CROSSING BLVD

GTC BIOTHERAPEUTICS

Type: ROUTINE INSPECTION

Date: Nov-04-2009

FRAMINGHAM, MA 01701

3.125 (a)

FACILITIES, GENERAL

3.125 (a) - "The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury."

1. Bldg 23/Pen 5: One of the salt lick holders mounted on the back wall of this pen was noted to be damaged. One corner of the holder had been broken off and the edges were sharp. The registrant needs to address this item to maintain the pen in good repair and to protect the animals from injury. Correct by 11/11/09.

Prepared By:

PAULA S GLADUE, V M D USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

Nov-04-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Nov-04-2009



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: 756

Certificate: 14-R-0074

Site: 001

175 CROSSING BLVD

GTC BIOTHERAPEUTICS

Type: ROUTINE INSPECTION

Date: May-26-2009

FRAMINGHAM, MA 01701

3.125 (a)

FACILITIES, GENERAL

3.125 (a) - "The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury."

1. The following Housing Facility issues were identified at the time of the inspection as noted. Animal facilities should be maintained in good repair to protect the animals from injury and to facilitate prescribed husbandry practices. Correct each item by 7/1/09.

a. Bldg 21/Pen 22: The back wall mounted air vent cover (approximately 12 x 12 inches in size) was missing from the duct opening. This would allow the Goat housed in the pen to be able to put her head and face into the duct opening and come in contact with some sharp edges inside the duct. The registrant needs to address this item to maintain the pen in good repair and to protect the animal from injury.

b. Bldg 21/Pen 21: The back wall mounted air vent cover had several areas where the paint had worn off and the underlying exposed metal was noted to be rusted. There was also an area on the back wall of the pen approximately 4 x 2 inches in size where the outermost water resistant layer was gone and the underlying unsealed wooden surface was exposed. The registrant needs to address this item to ensure that the surfaces of the pen can be readily sanitized.

Prepared By:

PAULA S GLADUE, V M D USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

May-26-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

May-26-2009



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: 756

175 CROSSING BLVD

Certificate: 14-R-0074

Site: 001

GTC BIOTHERAPEUTICS

Type: ROUTINE INSPECTION

FRAMINGHAM, MA 01701

Date: May-06-2008

2.33 (b) (2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

2.33 (b) (2) - "Each research facility shall establish and maintain programs of adequate veterinary care that include:
(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries."

1. Several Goats were noted to have long and overgrown hooves at the time of the inspection, including Goats #F609; GO492; JO699; GO584 (back feet) and Goat #IO372 (front feet).

Regular trimming of hooves is important to prevent overgrowth and ensure animal comfort. The facility needs to address the condition of the hooves of these Goats. Facility corrected this item at the time of the inspection by scheduling hoof trims for these animals.

2. Goat #F672 was noted to be standing and then walking using a crawling motion while bearing weight on flexed carpal joints on both front legs. The Goat would not bear weight on the front hooves. This condition had not been previously noted by facility personnel.

The facility corrected this item at the time of the inspection by contacting veterinary staff to assess the condition in the Goat.

Prepared By:

PAULA S GLADUE, V M D USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

May-06-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

May-06-2008



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: 756

Certificate: 14-R-0074

Site: 003

LOUISIANA STATE UNIV/DEPT. OF ANIMAL SCIENCE

175 CROSSING BLVD

Type: ROUTINE INSPECTION

FRAMINGHAM, MA 01701

Date: Sep-30-2008

No non-compliant items at this inspection.

Prepared By:

DAVID A OELBERG, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1043

Sep-30-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Sep-30-2008



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: **756**

Certificate: **14-R-0074**

Site: 004

175 CROSSING BLVD

TRANS OVA GENETICS GENETICS ADVANCE CNTR NORTH

Type: ROUTINE INSPECTION

Date: Sep-30-2009

FRAMINGHAM, MA 01701

No covered activities with covered species are currently taking place at this site.

Prepared By:

RUTH BAKKER, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 4029

Oct-15-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Oct-15-2009



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: **756**

Certificate: **14-R-0074**

Site: 004

TRANS OVA GENETICS GENETICS ADVANCE CNTR NORTH

175 CROSSING BLVD

Type: ROUTINE INSPECTION

FRAMINGHAM, MA 01701

Date: Sep-10-2008

There were no items documented at the time of this site inspection.

Prepared By:

RUTH BAKKER, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 4029

Sep-15-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Sep-15-2008



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: **756**

Certificate: **14-R-0074**

Site: 005

LAMPIRE BIOLOGICAL LABORATORIES

175 CROSSING BLVD

Type: ROUTINE INSPECTION

Date: Apr-05-2010

FRAMINGHAM, MA 01702

No non-compliant items at this inspection.

Prepared By:

DAVID A OELBERG, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1043

Apr-05-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Apr-05-2010



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: **756**

175 CROSSING BLVD

Certificate: **14-R-0074**

Site: 005

LAMPIRE BIOLOGICAL

FRAMINGHAM, MA 01701

Type: ROUTINE INSPECTION

Date: Jun-23-2009

No noncompliant items identified during this inspection.

This inspection conducted over 6/22-23/09.

Prepared By:

NORMA JEAN HARLAN, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1004

Jun-23-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jun-23-2009



Inspection Report

GTC BIOTHERAPEUTICS

Customer ID: 756

Certificate: 14-R-0074

Site: 005

LAMPIRE BIOLOGICAL LABORATORIES

175 CROSSING BLVD

Type: ROUTINE INSPECTION

FRAMINGHAM, MA 01701

Date: Oct-03-2008

No non-compliant items at this inspection. This is an ammended report to change the site inspected from site # 3 to site # 5. The previous report is Cust# 756, Insp # 327291, Site# 5444.

Prepared By:

DAVID A OELBERG, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1043

Oct-03-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Oct-03-2008