



## Inspection Report

---

MOUNT IDA COLLEGE

Customer ID: **134**

Certificate: **14-R-0090**

Site: 001

777 DEDHAM STREET

KENNEL BLDG

Type: ROUTINE INSPECTION

Date: Oct-05-2009

NEWTON, MA 02459

---

Facility is in compliance with the AWA at the time of inspection.

---

**Prepared By:**

TONYA HADJIS, D.V.M. USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 1081

Oct-05-2009

**Received By:**

(b)(6), (b)(7)(c)

**Date:**

**Title:**

Oct-05-2009



## Inspection Report

---

MOUNT IDA COLLEGE

Customer ID: **134**

777 DEDHAM STREET

Certificate: **14-R-0090**

Site: 001

KENNEL BLDG

NEWTON, MA 02459

Type: ROUTINE INSPECTION

Date: Oct-29-2008

---

Facilities and standards are in compliance at the time of inspection.

---

**Prepared By:**

TONYA HADJIS, V.M.O. USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 1081

Oct-29-2008

**Received By:**

(b)(6), (b)(7)(c)

**Date:**

**Title:**

Oct-29-2008



## Inspection Report

---

MOUNT IDA COLLEGE

Customer ID: **134**

777 DEDHAM STREET

Certificate: **14-R-0090**

Site: 001

KENNEL BLDG

NEWTON, MA 02459

Type: ROUTINE INSPECTION

Date: Apr-10-2008

---

### **2.31** (d) (5)

#### **INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).**

2.31 (d) (5) - "IACUC review of activities involving animals. (5) The IACUC shall conduct continuing reviews of activities covered by this subchapter at appropriate intervals as determined by the IACUC, but not less than annually."

1. The following animal use proposals have not undergone a continuing review by the IACUC since 10/12/06:
  - a. VT 202; VT 220; VT 206; VT 306; VT 310; VT 303; and VT 304.

The IACUC is required to conduct continuing reviews of animal use activities no less than annually as per this Section of the Regulations. The IACUC needs to conduct continuing reviews for these proposals. Correct by 5/9/08.

---

**Prepared By:**

PAULA S GLADUE, V M D      USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 1054

Apr-10-2008

**Received By:**

(b)(6), (b)(7)(c)

**Date:**

**Title:**

Apr-10-2008



## Inspection Report

---

MOUNT IDA COLLEGE

Customer ID: 134

Certificate: 14-R-0090

Site: 001

KENNEL BLDG

777 DEDHAM STREET

Type: ROUTINE INSPECTION

NEWTON, MA 02459

Date: Oct-11-2007

---

There were no non-compliant items identified during the inspection. Facility was in compliance with AWA Regulations and Standards at the time of the inspection.

---

**Prepared By:**

PAULA S GLADUE, V M D      USDA, APHIS, Animal Care

**Date:**

**Title:** VETERINARY MEDICAL OFFICER Inspector 1054

Oct-11-2007

**Received By:**

(b)(6), (b)(7)(c)

**Date:**

**Title:**

Oct-11-2007



## Inspection Report

MOUNT IDA COLLEGE

Customer ID: **134**

777 DEDHAM STREET

Certificate: **14-R-0090**

Site: 001

KENNEL BLDG

Type: ROUTINE INSPECTION

NEWTON, MA 02459

Date: Mar-08-2007

### 2.31 (d) (1) (ix)

#### INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

2.31 (d) (1) (ix) - "Major operative procedures on non-rodents will be conducted only in facilities intended for that purpose which shall be operated and maintained under aseptic conditions."

1. There is a door located in the Surgery Room that leads directly to the outdoors. There is a one inch high gap along the width of the door at the floor that allows direct communication to the outdoors. There was particulate debris and a small stick present on the floor of the Surgery Room that had come indoors through the gap. Cold outside air was also noted to be coming into the room through the gap.

Surgical facilities for major operative procedures should be maintained under aseptic conditions. The gap under the door does not ensure that the Surgery Room is maintained under aseptic conditions as required and needs to be addressed by the facility. Correct by 4/10/07.

### 2.33 (b)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

2.33 (b) (2) - "Each research facility shall establish and maintain programs of adequate veterinary care that include: (2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries."

1. There were plastic squirt bottles of Nolvasan solution (#2) and Prepodyne solution (#1) that did not have the exp date recorded on the label. Medical supplies should be in current dating. Facility corrected at the time of the inspection by recording the exp date of the stock supply on the squirt bottle labels.

### 2.35 (c) (1)

#### RECORDKEEPING REQUIREMENTS.

2.35 (c) (1) - "Every research facility.....disposing of any live dog or cat to another person, shall make and maintain records or forms which fully and correctly disclose the following information: (1) The name and address of the person to whom a live dog or cat is transported, sold, or otherwise disposed of."

#### Prepared By:

PAULA S GLADUE, V M D      USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

Mar-08-2007

#### Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Mar-08-2007



## Inspection Report

1. The Adoption Form for 10 of the Dogs and Cats that were adopted out from the facility at the end of the 2005 - 2006 school year did not have the complete address of the new owner recorded. A research facility must maintain complete information pertaining to the new owner for all Dogs and Cats which leave the facility. Facility corrected item at the time of the inspection by modifying the Adoption Form used for the facility's Dogs and Cats to include complete address information.

### 2.36 (b) (5)

#### ANNUAL REPORT.

2.36 (b) (5) - "The annual report shall: (5) State the common names and the numbers of animals upon which teaching, research, experiments, or tests were conducted involving no pain, distress, or use of pain-relieving drugs. Routine procedures (e.g., injections, tattooing, blood sampling) should be reported with this group."

1. It was determined that the Annual Report for FY 2006 that was submitted by the Registrant incorrectly reported some animals under USDA Pain Category "D" when the animals were actually used in procedures that are considered to be categorized as USDA Pain Category "C". Facility needs to submit a corrected Annual Report for FY 2006 to the Eastern Regional Office in Raleigh, NC. Correct by 4/10/07.

### 3.1 (a)

#### HOUSING FACILITIES, GENERAL.

3.1 (a) - "Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair."

1. The following structural items were identified during the inspection.

- a. The ceiling in the Cat Room had 2 cracked areas.
- b. There were 2 areas of the wall above the scrub sink that were missing the outermost layer and the deeper wall structure was exposed.
- c. There was an area of peeling and flaking paint on one wall next to the floor in the Surgery Room.

Animal Facilities must be structurally sound and kept in good repair. Correct items 1a, 1b, and 1,c by 4/10/07.

### 3.1 (f)

#### HOUSING FACILITIES, GENERAL.

3.1 (f) - "Trash containers in housing facilities and in food storage and food preparation areas must be leak proof and must have tightly fitted lids on them at all times."

1. There were trash containers located in the Cat Room (#1) and the Radiology Room (#1) that did not have a tightly

#### Prepared By:

PAULA S GLADUE, V M D      USDA, APHIS, Animal Care

#### Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

Mar-08-2007

#### Received By:

(b)(6), (b)(7)(c)

#### Date:

Title:

Mar-08-2007



## Inspection Report

fitting lid. Trash receptacles with a tightly fitting lid help to minimize odors and disease hazards. Facility corrected during the inspection by replacing those trash receptacles with others that had tightly fitting lids.

### 3.11 (c)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

3.11 (c) - "Housekeeping for premises. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean."

1. The following Housekeeping items were identified during the inspection. Housing facilities must be kept clean in order to facilitate husbandry practices and promote the health of the animals. Facility corrected items at the time of the inspection by cleaning these areas.

- a. There was a layer of dust along the top edges of the Dog runs.
- b. There were cobwebs present on the ceiling, light fixture covers, and sky lights in the Dog Room.
- c. There were a few rodent droppings on the shelf and floor of the Feed Storage Room.

### 3.31 (b)

#### SANITATION.

3.31 (b) - "Housekeeping. Premises (buildings and grounds) shall be kept clean."

1. The following Housekeeping items were identified during the inspection. Premises should be kept clean to facilitate prescribed husbandry practices and to provide for the health of the animals. Facility corrected both items at the time of the inspection by cleaning up those areas.

- a. There was a thick film of dust covering the top shelf of 3 animal enclosure racks in the Rodent Room.
- b. There was a small puddle of Nolvasan solution that had leaked from the bottle on a shelf inside the wall mounted cabinet in the Rat Lab.

### 3.50 (d)

#### FACILITIES, GENERAL.

3.50 (d) - "Disposal facilities shall be so provided and operated as to minimize vermin infestation, odors, and disease hazards."

1. There was an uncovered trash receptacle containing soiled pan liners located in the Rabbit Room. This disposal method does not minimize odors or disease hazards. Facility corrected during the inspection by placing a lid on the trash receptacle.

---

#### Prepared By:

PAULA S GLADUE, V M D                      USDA, APHIS, Animal Care

#### Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1054

Mar-08-2007

#### Received By:

(b)(6), (b)(7)(c)

#### Date:

Title:

Mar-08-2007