



Inspection Report

VIVISOURCE RESEARCH LABORATORIES

Customer ID: **39472**

Certificate: **14-R-0185**

Site: 001

320 PUTNAM AVE

VIVISOURCE RESEARCH LABORATORIES

Type: ROUTINE INSPECTION

Date: Jan-14-2010

CAMBRIDGE, MA 02139

Facility is in compliance with AWA Regulations and Standards at the time of inspection.

Prepared By:

TONYA HADJIS, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1081

Jan-14-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-14-2010



Inspection Report

VIVISOURCE RESEARCH LABORATORIES

Customer ID: **39472**

320 PUTNAM AVE

Certificate: **14-R-0185**

Site: 001

VIVISOURCE RESEARCH

CAMBRIDGE, MA 02139

Type: ROUTINE INSPECTION

Date: Jan-14-2009

Facility is in compliance with AWA Regulations and Standards at the time of inspection.

Inspection conducted at the Waltham, MA location only.

Prepared By:

TONYA HADJIS, V.M.O. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1081

Jan-14-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-14-2009



Inspection Report

VIVISOURCE RESEARCH LABORATORIES

Customer ID: **39472**

320 PUTNAM AVE

Certificate: **14-R-0185**

Site: 001

VIVISOURCE RESEARCH

CAMBRIDGE, MA 02139

Type: ROUTINE INSPECTION

Date: Apr-11-2007

All standards and regulations were in compliance for this inspection today.

There were no covered species.

There were no covered activities.

This is the first inspection of this newly registered facility, 14R0185.

Prepared By:

REBECCA B CHAFEL, D V M USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER Inspector 1071

Date:

Apr-11-2007

Received By:

(b)(6), (b)(7)(c)

Date:

Apr-11-2007

Title:



Inspection Report

VIVISOURCE RESEARCH LABORATORIES

Customer ID: **39472**

Certificate: **14-R-0185**

Site: 002

320 PUTNAM AVE

VIVISOURCE RESEARCH LABORATORIES

Type: ROUTINE INSPECTION

Date: Feb-08-2010

CAMBRIDGE, MA 02139

2.31 (d) (5)

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

The IACUC shall conduct continuing reviews of activities at appropriate intervals as determined by the IACUC, but not less than annually.

Upon review of protocols #09-001 and 09-003, which were both approved on 1/28/2009, it was noted that neither has had an annual review. Protocol reviews must be conducted by the IACUC no less than annually to determine if any changes or refinements are necessary for continued animal use.

Correct by March 10, 2010

Prepared By:

TONYA HADJIS, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1081

Feb-10-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-10-2010



Inspection Report

VIVISOURCE RESEARCH LABORATORIES

Customer ID: **39472**

320 PUTNAM AVE

Certificate: **14-R-0185**

Site: 002

VIVISOURCE RESEARCH

Type: ROUTINE INSPECTION

CAMBRIDGE, MA 02139

Date: Feb-25-2009

Facility is in compliance with AWA Regulations and Standards at the time of inspection.

Prepared By:

TONYA HADJIS, V.M.O. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1081

Feb-25-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-25-2009