



Inspection Report

ROCHESTER COMMUNITY AND TECHNICAL COLLEGE

Customer ID: **29637**

Certificate: **41-R-0072**

Site: 001

851 30 AVE SE

ROCHESTER COMMUNITY AND TECHNICAL COLLEGE

Type: ROUTINE INSPECTION

Date: Nov-17-2009

ROCHESTER, MN 55904

No noncompliances identified on this inspection.

Inspection and exit interview conducted with Lab Assistant.

End of report.

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Nov-17-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Nov-17-2009



Inspection Report

ROCHESTER COMMUNITY AND TECHNICAL

Customer ID: **29637**

851 30 AVE SE

Certificate: **41-R-0072**

Site: 001

ROCHESTER COMMUNITY AND

Type: ROUTINE INSPECTION

ROCHESTER, MN 55904

Date: Nov-14-2008

No noncompliances identified on this inspection.

Inspection and exit interview conducted with Animal Health Technology Instructor.

End of report.

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Nov-14-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Nov-14-2008



Inspection Report

ROCHESTER COMMUNITY AND TECHNICAL COLLEGE

Customer ID: **29637**

Certificate: **41-R-0072**

Site: 001

ROCHESTER COMMUNITY AND TECHNICAL COLLEGE

851 30 AVE SE

Type: ROUTINE INSPECTION

Date: Dec-14-2007

ROCHESTER, MN 55904

3.1 (c) (2)

HOUSING FACILITIES, GENERAL.

Interior surfaces. The floors and walls of indoor housing facilities, and any other surfaces in contact with the animals, must be impervious to moisture. The ceilings of indoor housing facilities must be impervious to moisture or be replaceable (e.g., a suspended ceiling with replaceable panels).

The walls of the surgery room do not have baseboards to maintain the area between the floor and the wall impervious to moisture. Also there are several cracks in floor tiles where the tile has started to bulge up in the area of the floor leading into the surgery room. These tiles are no longer impervious to moisture.

The surfaces in the animal use areas need to be maintained in good repair and be impervious to moisture. This ensures good sanitation practices and minimizes the possibility of any biological hazards occurring to affect the health and wellbeing of the animals.

Repair the baseboards and the floor tiles.

Correct by: 14 February 2008.

3.2 (d)

INDOOR HOUSING FACILITIES.

Interior surfaces. The floors and walls of indoor housing facilities, and any other surfaces in contact with the animals, must be impervious to moisture. The ceilings of indoor housing facilities must be impervious to moisture or be replaceable (e.g., a suspended ceiling with replaceable panels).

The dog housing room had several ceiling tiles that were missing in the ceiling.

The missing ceiling tiles potentially allow moisture to enter the facility from the ceiling causing unsanitary conditions in the dog housing area. The dog housing facility needs to be kept in good repair to ensure

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Dec-14-2007

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Dec-14-2007



Inspection Report

that the housing of the animals meets the standards ensuring the animals comfort and health and wellbeing.

Replace the ceiling tiles in the dog housing area.

Correct by: 14 January 2008.

Inspection and exit interview conducted with Instructor.

End of report.

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Dec-14-2007

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Dec-14-2007