



Inspection Report

UNIVERSITY OF TEXAS

Customer ID: 1464

Certificate: 74-R-0072

Site: 001

SOUTHWESTERN MEDICAL CENTER AT DALLAS

U OF TX, SOUTHWESTERN MEDICAL CENTER AT DALLAS

5323 HARRY HINES BLVD

Type: ROUTINE INSPECTION

DALLAS, TX 75235

Date: Jan-06-2010

3.125 (a)

FACILITIES, GENERAL.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

THE LARGE ANIMAL AREA HAS MULTIPLE FACILITY ISSUES. SEVERAL PIG HOLDING ROOMS HAVE CHIPPING, PEELING PAINT. IN A FEW ROOMS THE CHIPPING PAINT APPEARED TO HAVE BEEN CHEWED ON BY THE ANIMALS IN THE ENCLOSURE. SEVERAL ROOMS HAVE RUSTY FLOOR DRAINS OR RUSTY WALL PANELS. THE CLEAN SIDE OF THE CAGE WASH AREA HAS A WALL FALLING APART AND THE DIRTY SIDE OF THE CAGE WASH AREA HAS A WALL FALLING APART. FACILITIES MUST BE KEPT IN GOOD REPAIR.

3.131 (b)

SANITATION.

(b) Sanitation of enclosures. Subsequent to the presence of an animal with an infectious or transmissible disease, cages, rooms, and hard-surfaced pens or runs shall be sanitized either by washing them with hot water (180 F. at source) and soap or detergent, as in a mechanical washer, or by washing all soiled surfaces with a detergent solution followed by a safe and effective disinfectant, or by cleaning all soiled surfaces with saturated live steam under pressure. Pens or runs using gravel, sand, or dirt, shall be sanitized when necessary as directed by the attending veterinarian.

THE AREA USED FOR SHEEP PROCEDURES CANNOT BE PROPERLY SANITIZED. THE ANIMALS WORKED WITH IN THIS AREA ARE CONSIDERED POSITIVE FOR AN INFECTIOUS/CONTAGIOUS ORGANISM THEREFORE ALL SURFACES AND EQUIPMENT MUST BE DISINFECTED SUBSEQUENT TO THE PRESENCE OF ANIMALS. THE CURRENT SET-UP HAS PORTABLE CAGES IN TWO SEPARATE WORK ROOMS THAT ALSO SEEM TO FUNCTION AS STORAGE ROOMS. THE ABILITY TO PROPERLY SANITIZE ALL THE EQUIPMENT AND CLUTTER IN THESE ROOMS SEEMS UNLIKELY. THE ABILITY TO PROPERLY SANITIZE THE PORTABLE CAGES IS QUESTIONABLE. THERE ARE NO FLOOR DRAINS IN THE WORK ROOMS THEREFORE THE CAGES MUST BE BROKEN DOWN AND TRANSPORTED OUT OF THIS QUARANTINE AREA

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Jan-07-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-07-2010



Inspection Report

TO THE CAGE WASH FACILITY ON ANOTHER FLOOR FOR CLEANING.
AN APPROPRIATE ANIMAL HOLDING FACILITY CONDUCIVE TO PROPER SANITATION NEEDS TO BE
ESTABLISHED FOR THESE ANIMALS.

TO BE CORRECTED BY: JULY 1, 2010

THIS IS AN AMENDED REPORT CORRECTING THE ORIGINAL REPORT. TO BE CORRECTED BY DATES
SHOULD READ JULY 1, 2010 INSTEAD OF JULY 1, 2009.

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Jan-07-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-07-2010



Inspection Report

UNIVERSITY OF TEXAS

Customer ID: 1464

Certificate: 74-R-0072

Site: 001

SOUTHWESTERN MEDICAL CENTER AT DALLAS

U OF TX, SOUTHWESTERN MEDICAL CENTER AT DALLAS

5323 HARRY HINES BLVD

Type: ROUTINE INSPECTION

DALLAS, TX 75235

Date: Jan-06-2010

3.125 (a)

FACILITIES, GENERAL.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

THE LARGE ANIMAL AREA HAS MULTIPLE FACILITY ISSUES. SEVERAL PIG HOLDING ROOMS HAVE CHIPPING, PEELING PAINT. IN A FEW ROOMS THE CHIPPING PAINT APPEARED TO HAVE BEEN CHEWED ON BY THE ANIMALS IN THE ENCLOSURE. SEVERAL ROOMS HAVE RUSTY FLOOR DRAINS OR RUSTY WALL PANELS. THE CLEAN SIDE OF THE CAGE WASH AREA HAS A WALL FALLING APART AND THE DIRTY SIDE OF THE CAGE WASH AREA HAS A WALL FALLING APART. FACILITIES MUST BE KEPT IN GOOD REPAIR.

TO BE CORRECTED BY: JULY 1, 2009

3.131 (b)

SANITATION.

(b) Sanitation of enclosures. Subsequent to the presence of an animal with an infectious or transmissible disease, cages, rooms, and hard-surfaced pens or runs shall be sanitized either by washing them with hot water (180 F. at source) and soap or detergent, as in a mechanical washer, or by washing all soiled surfaces with a detergent solution followed by a safe and effective disinfectant, or by cleaning all soiled surfaces with saturated live steam under pressure. Pens or runs using gravel, sand, or dirt, shall be sanitized when necessary as directed by the attending veterinarian.

THE AREA USED FOR SHEEP PROCEDURES CANNOT BE PROPERLY SANITIZED. THE ANIMALS WORKED WITH IN THIS AREA ARE CONSIDERED POSITIVE FOR AN INFECTIOUS/CONTAGIOUS ORGANISM THEREFORE ALL SURFACES AND EQUIPMENT MUST BE DISINFECTED SUBSEQUENT TO THE PRESENCE OF ANIMALS. THE CURRENT SET-UP HAS PORTABLE CAGES IN TWO SEPARATE WORK ROOMS THAT ALSO SEEM TO FUNCTION AS STORAGE ROOMS. THE ABILITY TO PROPERLY SANITIZE ALL THE EQUIPMENT AND CLUTTER IN THESE ROOMS SEEMS UNLIKELY. THE ABILITY TO PROPERLY SANITIZE

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Jan-07-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-07-2010



Inspection Report

THE PORTABLE CAGES IS QUESTIONABLE. THERE ARE NO FLOOR DRAINS IN THE WORK ROOMS THEREFORE THE CAGES MUST BE BROKEN DOWN AND TRANSPORTED OUT OF THIS QUARANTINE AREA TO THE CAGE WASH FACILITY ON ANOTHER FLOOR FOR CLEANING.
AN APPROPRIATE ANIMAL HOLDING FACILITY CONDUCIVE TO PROPER SANITATION NEEDS TO BE ESTABLISHED FOR THESE ANIMALS.

TO BE CORRECTED BY JULY 1, 2009

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Date:

Jan-07-2010

Received By:

(b)(6), (b)(7)(c)

Date:

Jan-07-2010

Title:



Inspection Report

UNIVERSITY OF TEXAS

Customer ID: 1464

Certificate: 74-R-0072

SOUTHWESTERN MEDICAL CENTER AT
5323 HARRY HINES BLVD

Site: 001

U OF TX, SOUTHWESTERN MEDICAL

DALLAS, TX 75235

Type: ROUTINE INSPECTION

Date: Nov-18-2008

2.31

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

Sec. 2.31 Institutional Animal Care and Use Committee (IACUC).

c) IACUC functions. With respect to activities involving animals, the IACUC, as an agent of the research facility, shall:
(6) Review and approve, require modifications in (to secure approval), or withhold approval of those components of proposed activities related to the care and use of animals, as specified in paragraph (d) of this section.

IACUC records from 2007 state that release of animals to proceed with a protocol depended upon the presence of a veterinarian at the initial surgery. No formal written records were found at the time of this inspection to confirm a veterinarian attended that surgery. The IACUC is responsible for follow up on its own requirements.

To be corrected by: Nov 18, 2008.

2.33

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE.

Sec. 2.33 Attending veterinarian and adequate veterinary care.

(b) Each research facility shall establish and maintain programs of adequate veterinary care that include:

(1) The availability of appropriate facilities, personnel, equipment, and services to comply with the provisions of this subchapter.

On the day of this inspection, six rabbits were observed under anesthesia with one person monitoring all six animals. Adequate personnel should be available during anesthetic procedures to ensure proper monitoring of all animals.

To be corrected by: Nov 18, 2008.

(5) Adequate pre-procedural and post-procedural care in accordance with current established veterinary medical and nursing procedures.

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Nov-18-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Nov-21-2008



Inspection Report

According to facility medical records, an animal used in an April 2008 procedure had complications from the procedure and was left in a moribund state overnight with no monitoring or veterinary follow-up on the day of the procedure. Adequate post-procedural care must be provided in accordance with established standards.
To be corrected by: Nov 18, 2008

Prepared By:

CYNTHIA L DIGESUALDO USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5055

Nov-18-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Nov-21-2008



Inspection Report

UNIVERSITY OF TEXAS

Customer ID: 1464

Certificate: 74-R-0072

Site: 001

SOUTHWESTERN MEDICAL CENTER AT DALLAS

U OF TX, SOUTHWESTERN MEDICAL CENTER AT DALLAS

5323 HARRY HINES BLVD

Type: ROUTINE INSPECTION

DALLAS, TX 75235

Date: Jan-16-2008

3.51 (d)

FACILITIES, INDOOR.

INTERIOR SURFACES. THE INTERIOR BUILDING SURFACES OF INDOOR HOUSING FACILITIES SHALL BE CONSTRUCTED AND MAINTAINED SO THAT THEY ARE SUBSTANTIALLY IMPERVIOUS TO MOISTURE AND MAY BE READILY SANITIZED. AT THE TIME OF THIS INSPECTION, THE FLOORING IN SEVERAL RABBIT ROOMS WAS HEAVILY STAINED AND DIFFICULT TO EVALUATE EFFECTIVENESS OF CURRENT SANITATION PROCEDURES. THESE FLOORS MUST BE REPAIRED OR REPLACED TO FACILITATE ROUTINE CLEANING OF RABBIT INDOOR HOUSING FACILITIES. TO BE CORRECTED BY: APRIL 1, 2008.

Prepared By:

JEANNE KJOS, D.V.M. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 4013

Jan-16-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jan-16-2008



Inspection Report

UNIVERSITY OF TEXAS
SOUTHWESTERN MEDICAL CENTER AT
5323 HARRY HINES BLVD

Customer ID: **1464**
Certificate: **74-R-0072**
Site: 002

DALLAS VETERANS ADMINISTRATION

DALLAS, TX 75235

Type: ROUTINE INSPECTION
Date: Oct-23-2007

NO NON-COMPLIANCES IDENTIFIED THIS INSPECTION.

Prepared By:

JEANNE KJOS, V.M.O. USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 4013

Oct-23-2007

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Oct-23-2007