



Inspection Report

KATHY CLARKE
WILLIAM CLARKE

Customer ID: 5684
Certificate: 48-A-1275
Site: 001
WILLIAM & KATHY CLARKE

CLARKE'S HILLSIDE KENNEL
172 WILLOW RD

Type: ROUTINE INSPECTION
Date: Aug-24-2012

YATES CENTER, KS 66783

* This is a focused inspection limited to the four dogs cited under veterinary care section 2.40 b 2 as a direct non compliance on the August 22, 2012 inspection report. The three Schipperke dogs (microchip numbers 093 109 559 / 463D680E94 / 077 047 287) and Boston Terrier (microchip number 031 283 361) were examined by a licensed veterinarian on August 24 ,2012. Schipperke female (microchip number 077 047 287) was euthanized on August 24,2012 by a licensed veterinarian. Proper documentation was provided by the licensee.

* The focused inspection and verbal briefing done on 8/24/12 were conducted with the licensee and Robert Bacon ACI.

* The exit briefing done on 8/27/12 was conducted with the licensee and Robert Bacon ACI.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Aug-27-2012

Received By:

(b)(6), (b)(7)(c)

Date:
Aug-27-2012



Inspection Report

KATHY CLARKE
WILLIAM CLARKE

Customer ID: 5684
Certificate: 48-A-1276
Site: 001
WILLIAM & KATHY CLARKE

CLARKE'S HILLSIDE KENNEL
172 WILLOW RD

Type: ROUTINE INSPECTION
Date: Aug-22-2012

YATES CENTER, KS 66783

2.40 (b) (2) REPEAT DIRECT NCI ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care.

The following dogs are in need of veterinary care.

* One black seven year old female Schipperke (microchip number 093 109 558), one black 7.5 year old male Schipperke (microchip number 463D680E34) and one black 10.5 year old female Schipperke (microchip number 077 047 287) have a heavy tick infestation on the margins of the ears (three dogs) and the face of one dog. The ticks range in size from one to three millimeters. The licensee stated that this was the first time the ticks were noticed by them. The licensee stated that another Schipperke female was removed from the enclosure 21 days earlier and no ticks were noticed on the other three dogs at that time. At the time of inspection, the attending veterinarian had not been consulted. Heavy tick infestation can be painful causing discomfort for the dogs. It could potentially lead to health risks, loss of blood and disease transmission affecting the health and well being of the dogs. These dogs must be examined by a licensed veterinarian and appropriate treatment administered. Documentation must be maintained on all medical problems, diagnosis and treatments. All medical records must be made available to the inspector upon request. The licensee must ensure that all animals receive adequate veterinary care at all times.

* One black 10.5 year old female Schipperke (microchip number 077 047 287) has hair loss on its left side, flank and chest area. Visual observation of hair loss is estimated to be 15 percent of the total body. Hair loss can be painful causing discomfort to the dog. It could also lead to the spread of infection which affects the health and well being of the dog. At time of inspection, the attending veterinarian had not been consulted. This dog must be examined by a licensed veterinarian and appropriate treatment administered. Documentation must be maintained on all medical problems, diagnosis and treatments. All medical records must be made available to the inspector upon request. The licensee must ensure that

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care Date:
Title: ANIMAL CARE INSPECTOR Inspector 4001 Aug-24-2012

Received By:

(b) (6), (b) (7) (C) Date:
Title: Aug-24-2012



Inspection Report

all animals receive adequate veterinary care at all times.

* One black and white adult male Boston Terrier (microchip number 031 263 361) has an accumulation of dark brown material coating the entire surface of one upper cheek tooth. The gum line is red and swollen and has receded away from the upper cheek tooth. These signs are consistent with the presence of dental disease. The buildup of abnormal material on teeth with a discharge at the gum line can be painful. It can impact the ability of the dog to eat, affecting the health and well being of the animal. Dental disease can be painful, lead to a decrease in appetite and infection in the mouth. The licensee must have this animal examined by a veterinarian and appropriate treatment plan administrated. The outcome of this examination must be documented and provided to the inspector upon request. The licensee must ensure that all animals receive adequate veterinary care at all times.

* One black and white adult male Boston Terrier (microchip number 031 263 361) has fluid buildup between the top of its toes on the left front foot. The affected area is circular in appearance and has swelled to an estimated size of a "pea". The licensee stated that today was the first time the problem with the foot had been noticed. Fluid buildup can be painful causing discomfort and could potentially affect the mobility and daily activity of the dog. The licensee must ensure that medical treatment is provided to ensure the health and well being of the dog. The licensee must ensure that all animals receive adequate veterinary care at all times.

3.4 (c)

OUTDOOR HOUSING FACILITIES.

(c) Construction. Building surfaces in contact with animals in outdoor housing facilities must be impervious to moisture.

* The interior surface of one wood box has bare wood that is not longer considered to be impervious to moisture. Four dogs are in contact with the non treated wood surface. Non treated wood surfaces cannot be readily cleaned and sanitized because they are not impervious to moisture. The licensee must paint, seal or cover all wood surfaces with a material that ensures those surfaces will be impervious to moisture. Correct by 9/22/12.

3.10

REPEAT

WATERING.

If potable water is not continually available to the dogs and cats, it must be offered to the dogs and cats as often as necessary to ensure their health and well-being, but not less than twice daily for at least 1 hour each time, unless restricted by the attending veterinarian. Water receptacles must be kept clean and sanitized in accordance with Sec. 3.11(b) of this subpart, and before being used to water a different dog or cat or social grouping of dogs or cats.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Aug-24-2012

Received By:

(b) (6), (b) (7) (c)
Title:

Date:
Aug-24-2012



Inspection Report

* One outdoor water bucket used by one dog has a green looking film substance covering the entire interior surface area. It indicates the water receptacle is not being adequately cleaned and sanitized. It could lead to water contamination affecting the health and well being of the dog. The licensee must ensure all water receptacles are kept clean and sanitized at all times.

**3.11 (c) REPEAT
CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.**

(c) Housekeeping for premises. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair to protect the animals from injury, to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents and other pests and vermin. Premises must be kept free of accumulations of trash, junk, waste products, and discarded matter. Weeds, grasses, and bushes must be controlled so as to facilitate cleaning of the premises and pest control, and to protect the health and well-being of the animals.

* Cobwebs are collecting on enclosure wiring and leaves are trapped between the enclosure wiring and the exterior shelter building wall. The affected area housing two dogs are located in outdoor housing. The cobwebs and the leaves occupy the same enclosure. It indicates unsanitary living conditions exist that could impact the health and well being of the dogs. It indicates a potential living area exists for other pests. The licensee must ensure all areas of the facility are kept clean to facilitate normal husbandry practices.

* The facility inspection and verbal exit briefing done on 8/22/12 were conducted with the licensee, Dr. Margaret Shaver VMO and Robert Bacon ACI.

* The exit briefing done on 8/24/12 was conducted with the licensee and Robert Bacon ACI.

Prepared By:

Title: ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
ANIMAL CARE INSPECTOR Inspector 4001

Date:
Aug-24-2012

Received By:

Title: (b) (6), (b) (7) (C)

Date:
Aug-24-2012



Inspection Report

Kathy Clarke
William Clarke

Customer ID: 5684
Certificate: 46-A-1275
Site: 001
WILLIAM & KATHY CLARKE

Clarke's Hillside Kennel
172 WILLOW RD

Type: ATTEMPTED INSPECTION
Date: Jun-04-2012

YATES CENTER, KS 66783

2.126 (b)

ACCESS AND INSPECTION OF RECORDS AND PROPERTY.

(b) The use of a room, table, or other facilities necessary for the proper examination of the records and inspection of the property or animals must be extended to APHIS officials by the dealer, exhibitor, intermediate handler or carrier, and a responsible adult shall be made available to accompany APHIS officials during the inspection process.

- * A facility representative was not available on 6/4/12 at 1:00 PM to do a facility inspection.
- * Copy of inspection report was sent by certified and regular mail.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-01-2012

Received By:

(b) (6), (b) (7) (C)

Date:
Nov-01-2012



Inspection Report

KATHY CLARKE
WILLIAM CLARKE

Customer ID: 5684
Certificate: 48-A-1275
Site: 001
WILLIAM & KATHY CLARKE

CLARKE'S HILLSIDE KENNEL
172 WILLOW RD
YATES CENTER, KS 66783

Type: ROUTINE INSPECTION
Date: Nov-14-2011

2.40 (b) (2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care.

* A Black and White Boston Terrier male, microchip number 031 269 319 has long toe nails on the right front and right rear legs. The toe nails were an estimated two inches in length. The right rear toe nail was growing sideways. Long toe nails can be painful causing discomfort when the dog is trying to walk. The potential for injury exists if the toe nail becomes caught in the wire flooring. Lack of nail care on a regular basis can affect the health & well being of the dog. The licensee must ensure that all animals receive adequate veterinary care at all times. This NCI was corrected during the inspection.

3.1 (a)

HOUSING FACILITIES, GENERAL.

(a) Structure; construction. Housing facilities for dogs and cats must be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

* The divider wire fencing is bent creating a two inch gap along the exterior wall of the north double decker building. Four dogs are in contact with the divider wire. The potential for injury exists if the dog gets caught in the gap created between the bent fencing and exterior wall. It could also be stressful causing discomfort if the caught dog tries to free itself. The licensee must ensure that all fencing is kept in good repair to ensure the safety and well being of all dogs. Correct by 11/28/11.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-16-2011

Received By:

(b) (6), (b) (7) (C)

Date:
Nov-16-2011



Inspection Report

3.1 (c) (1) (i)

HOUSING FACILITIES, GENERAL.

(c) Surfaces--(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled. Interior surfaces and any surfaces that come in contact with dogs or cats must:

(i) Be free of excessive rust that prevents the required cleaning and sanitization, or that affects the structural strength of the surface.

* There was excessive rust on the galvanized panels used to support the wire floors. The panels are located under the outside runs that are attached to the double decker buildings. Parts of the panel were missing because rust had corroded the panel. Excessive rust affects the structural strength of all metal surfaces. The licensee must ensure that all surfaces are free of excessive rust. Correct by 12/14/11.

3.1 (c) (1) (ii)

HOUSING FACILITIES, GENERAL.

(c) Surfaces--(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized, or removed or replaced when worn or soiled. Interior surfaces and any surfaces that come in contact with dogs or cats must:

(ii) Be free of jagged edges or sharp points that might injure the animals.

* There is an exposed screw pointed downwards towards the dogs. The exposed screw is located in an attached run to a shelter building. Two dogs are in contact with the exposed screw. The potential for injury exists if the dogs come in contact with the exposed screw. The licensee must ensure all enclosures are free of sharp points for the safety of the dogs. Correct by 11/17/11.

* The fiberglass wall board in two enclosures have jagged edges with sharp points. Four dogs are in contact with the wall board. The affected area cannot be adequately cleaned and sanitized. The licensee must ensure that all surfaces are maintained on a regular basis or be replaced when worn. Correct by 11/17/11.

3.1 (c) (2)

HOUSING FACILITIES, GENERAL.

(2) Maintenance and replacement of surfaces. All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-16-2011

Received By:

(b)(6), (b)(7)(C)

Date:
Nov-16-2011



Inspection Report

- * There are six plastic igloo shelter structures used by 12 dogs that are chewed with a jagged, roughened surface. The igloos are located in outdoor housing. Sharp points or edges could lead to potential injury. The chewed, pitted surface cannot be adequately cleaned and sanitized. The licensee must ensure that all surfaces are maintained on a regular basis or be replaced when worn. Correct by 11/28/11.
- * One outside shelter structure used by one dog has rotted, missing wood on the lower left side. Surfaces cannot be readily cleaned and sanitized on a regular basis because of wood rot. Dogs not protected from wind, snow or rain could experience difficulty conserving body heat. The licensee must ensure that all surfaces are maintained on a regular basis or be replaced when worn. Correct by 12/14/11.

3.4 (b) (3)

OUTDOOR HOUSING FACILITIES.

(b) Shelter from the elements. Outdoor facilities for dogs or cats must include one or more shelter structures that are accessible to each animal in each outdoor facility, and that are large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. In addition to the shelter structures, one or more separate outside areas of shade must be provided, large enough to contain all the animals at one time and protect them from the direct rays of the sun. Shelters in outdoor facilities for dogs or cats must contain a roof, four sides, and a floor, and must:

(3) Be provided with a wind break and rain break at the entrance.

- * There were no wind or rain breaks at the entrance to four outdoor shelter structures housing six dogs. Dogs having little to no protection from the wind, snow or rain could experience difficulty conserving body heat. The licensee must ensure all outdoor shelter structures have wind and rain breaks for the health and well being of the dogs. Correct by 11/28/11.

3.6 (a) (2) (i)

PRIMARY ENCLOSURES.

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(i) Have no sharp points or edges that could injure the dogs.

- * There were broken, protruding wires observed with sharp points in four enclosures. The flooring could allow the feet and legs to fall through the openings. Eight dogs are in contact with the flooring. The wire flooring is located in outside attached runs to the double decker buildings. Sharp points or edges could injure the dogs. The licensee must ensure that all wires are maintained in good repair at all times. Correct by 11/28/11.

- * There were broken, protruding wires observed with sharp points on four dividers. Eight dogs are in

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-16-2011

Received By:

(b)(6), (b)(7)(c)

Date:
Nov-16-2011



Inspection Report

contact with the divider wires. The wire dividers are located in outside attached runs to the double decker buildings. Sharp points or edges could injure the dogs. The licensee must ensure that all wires are maintained in good repair at all times. Correct by 11/28/11.

3.8

EXERCISE FOR DOGS.

Dealers, exhibitors, and research facilities must develop, document, and follow an appropriate plan to provide dogs with the opportunity for exercise. In addition, the plan must be approved by the attending veterinarian. The plan must include written standard procedures to be followed in providing the opportunity for exercise. The plan must be made available to APHIS upon request, and, in the case of research facilities, to officials of any pertinent funding Federal agency.

* No copy of the program of exercise was made available at time of facility inspection. The program of exercise must be developed in accordance with the attending veterinarian recommendations to ensure the dogs are getting appropriate exercise. The licensee must develop, document and follow an appropriate plan of exercise and the plan must be approved by the attending veterinarian. Correct by 12/14/11.

3.9

(b)

FEEDING.

(b) Food receptacles must be used for dogs and cats, must be readily accessible to all dogs and cats, and must be located so as to minimize contamination by exoreta and pests, and be protected from rain and snow. Feeding pans must either be made of a durable material that can be easily cleaned and sanitized or be disposable. If the food receptacles are not disposable, they must be kept clean and must be sanitized in accordance with Sec. 3.11(b) of this subpart. Sanitization is achieved by using one of the methods described in Sec. 3.11(b)(3) of this subpart. If the food receptacles are disposable, they must be discarded after one use. Self-feeders may be used for the feeding of dry food. If self-feeders are used, they must be kept clean and must be sanitized in accordance with Sec. 3.11(b) of this subpart. Measures must be taken to ensure that there is no molding, deterioration, and caking of feed.

* Eight plastic food receptacles have a jagged, roughened chewed surface. The receptacles are attached to enclosure gates located throughout the facility. Sixteen dogs are in contact with the receptacles. Sharp edges could potentially injure the dogs. It prevents the proper cleaning and sanitation of these receptacles. The jagged, roughened surface can harbor bacteria and other disease causing agents that can affect the health and well being of the dogs. The licensee must ensure that all surfaces can be readily cleaned and sanitized at all times. Correct by 11/28/11.

* One red plastic food receptacle is cracked and broken along the side leaving a one to two inch gap. The receptacle is located on outdoor fencing. Two dogs are in contact with the receptacle. It does not adequately protect the feed from potential rain or snow. Food exposed to rain or snow could become caked, moldy or deteriorated losing its nutritional value. The licensee must ensure that all food receptacles are maintained in good repair at all times. Correct by 11/28/11.

* There is a mixture of dirt and grease caked on the interior trough of one food receptacle. Two dogs are in contact with the receptacle. The affected area was covering 30 to 40 percent of the interior trough.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR Inspector 4001

Nov-16-2011

Received By:

(b)(6),(b)(7)(c)

Date:

Title:

Nov-16-2011



Inspection Report

It can harbor bacteria and other disease causing agents that can affect the health and well being of the dogs. The licensee must ensure that all food receptacles are kept clean and sanitized at all times. Correct by 11/28/11.

* Six food receptacles have caked, molded, deteriorated dog feed collecting on the interior rim where feed is poured in to. The affected area covers 75 to 100 percent of the interior rim. It can harbor bacteria and other disease causing agents that can affect the health and well being of the dogs. The licensee must ensure that all food receptacles are kept clean and sanitized at all times. Correct by 11/28/11.

3.10 WATERING.

If potable water is not continually available to the dogs and cats, it must be offered to the dogs and cats as often as necessary to ensure their health and well-being, but not less than twice daily for at least 1 hour each time, unless restricted by the attending veterinarian. Water receptacles must be kept clean and sanitized in accordance with Sec. 3.11(b) of this subpart, and before being used to water a different dog or cat or social grouping of dogs or cats.

* The tops of two plastic water receptacles were chewed with sharp, jagged edges. Four dogs are in contact with the receptacles. Both receptacles are located in outdoor enclosures. A jagged, roughened and pitted surface cannot be adequately cleaned and sanitized when the protective coating has been chewed. Sharp, jagged edges could potentially cause injury if the dog chews on the receptacle. The licensee must ensure that all water receptacles can be readily cleaned and sanitized or be replaced when worn. Correct by 11/28/11.

3.11 (c) CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

(c) Housekeeping for premises. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair to protect the animals from injury, to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents and other pests and vermin. Premises must be kept free of accumulations of trash, junk, waste products, and discarded matter. Weeds, grasses, and bushes must be controlled so as to facilitate cleaning of the premises and pest control, and to protect the health and well-being of the animals.

* There are cobwebs, dust and dog hair collecting on interior walls, PVC pipe, support chains, light switches, fiberglass wash down and vent screens. The affected areas are located throughout the entire facility. This indicates a living area exists for rodents, pests and other vermin. Unsanitary living conditions exist if the affected areas are not kept clean and could lead to health issues. The licensee must ensure that all buildings and surrounding grounds be kept clean to facilitate required husbandry practices. Correct by 12/14/11.

* The facility inspection (11/14/11) and exit briefing (11/16/11) were conducted with the licensee, Karl Thornton ACI and Robert Bacon ACI.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-16-2011

Received By:

(b)(6),(b)(7)(c)

Date:
Nov-16-2011



Inspection Report

Prepared By:

ROBERT W BAGON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Nov-16-2011

Received By:

Title:  (b) (6), (b) (7) (c)

Date:
Nov-16-2011



Inspection Report

KATHY CLARKE
WILLIAM CLARKE

Customer ID: 5684
Certificate: 48-A-1275
Site: 001
WILLIAM & KATHY CLARKE

CLARKE'S HILLSIDE KENNEL
172 WILLOW RD

Type: ROUTINE INSPECTION
Date: Dec-29-2010

YATES CENTER, KS 66783

2.75 (a) (1) (vi)

RECORDS: DEALERS AND EXHIBITORS.

(a)(1) Each dealer, other than operators of auction sales and brokers to whom animals are consigned, and each exhibitor shall make, keep, and maintain records or forms which fully and correctly disclose the following information concerning each dog or cat purchased or otherwise acquired, owned, held, or otherwise in his or her possession or under his or her control, or which is transported, euthanized, sold, or otherwise disposed of by that dealer or exhibitor. The records shall include any offspring born of any animal while in his or her possession or under his or her control.

(vi) The official USDA tag number or tattoo assigned to a dog or cat under Sec. Sec. 2.50 and 2.54.

* Microchip #'s are missing from 62 dogs on the dog on hand sheets. When the dog on hand sheets are not complete, it makes tracing all dogs not listed on the dog on hand sheets very hard to do. Records provide a source of information that can be used to identify every dog on the premise. USDA regulations require that a complete listing of all dogs on the premise shall be maintained at all times & be made available at the request of any USDA official. Correct by 1/29/11.

3.1 (f)

HOUSING FACILITIES, GENERAL.

(f) Drainage and waste disposal. Housing facility operators must provide for regular and frequent collection, removal, and disposal of animal and food wastes, bedding, debris, garbage, water, other fluids and wastes, and dead animals, in a manner that minimizes contamination and disease risks.

* Plastic pipe that is used to collect animal waste has broken & is allowing animal waste to collect on the ground on the west side of the double decker building. Animal waste collecting next to the dogs creates unsanitary conditions & could lead to potential disease or health risks for the dogs. The potential for increased insect & pest infestation exists when animal waste is not removed in a timely manner but allowed to buildup next to the dogs. Plastic pipes need to be repaired so that animal waste does not collect on the ground. Correct by 1/29/11.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Dec-29-2010

Received By:

(b) (6), (b) (7) (c)

Date:
Dec-29-2010



Inspection Report

3.6 (a) (2) (ii)

PRIMARY ENCLOSURES.

(a) General requirements.

(2) Primary enclosures must be constructed and maintained so that they:

(ii) Protect the dogs and cats from injury.

* North double decker building north side attached runs to the building top run. There is a 1 to 3 inch gap between the enclosure fencing & building wall that could cause potential injury if the dog gets caught in the gap. Measures need to be taken to secure the enclosure so that no gaps exist in the enclosure affecting 20 dogs. Correct by 1/29/11.

* South double decker building bottom row divider fencing is bowing to the point the potential for injury to occur if the dog is able to gain access to dogs in the adjacent enclosure. The fencing bows from dogs jumping on to the divider fencing. Licensee needs to secure all fencing so that no fencing will bow affecting 10 dogs. Correct by 1/29/11.

* An exit briefing was conducted with the licensees.

Prepared By:

ROBERT W BACON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4001

Date:
Dec-29-2010

Received By:

(b) (6), (b) (7) (c)

Date:
Dec-29-2010



Inspection Report

KATHY CLARKE
WILLIAM CLARKE

Customer ID: 5684
Certificate: 48-A-1275

CLARKE'S HILLSIDE KENNEL
172 WILLOW RD

Site: 001
WILLIAM & KATHY CLARKE

Type: ROUTINE INSPECTION
Date: Feb-03-2010

YATES CENTER, KS 66783

2.40 (b) (3)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

- (b) Each dealer or exhibitor shall establish and maintain programs of adequate veterinary care that include:
- (3) Daily observation of all animals to assess their health and well-being;

Dogs need to be observed daily to assess their health. Dogs with Chip #056595084 & 100781084 need to have the mats, long hair, removed or combed out around the mouth, anal area, and areas that hang down and drag the wire flooring. Mats can cause sore and hot spots that can cause infection and discomfort, also matted hair loses the warmth insulation that dog needs during winter months. Affects 2 dogs. Correct by 01-05-2010

3.11 (c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

(c) Housekeeping for premises to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents and other pests and vermin. Premises must be kept free of accumulations of trash, junk, waste products, and discarded matter. cleaning of the premises and pest control, and to protect the health and well-being of the animals.

Inside housing needs the wall kept clean to help the facility remain disease free. Trash, and discarded matter matter inside of housing facilities also is a place that can harbor mics. Need to clean the inside of the shelter housing and also the indoor housing buildings to better insure that dogs can remain healthy and disease free. Affects at least 50 dogs. 03-03-2010

Prepared By:

KARL W THORNTON, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4055

Date:
Feb-03-2010

Received By:

(b) (6), (b) (7) (c)

Date:
Feb-03-2010